

SPEC SHEET


VitalPower Medical Workstation Cart

Product Specifications


Item Numbers	MCWS003: Standard VitalPower Workstation Cart MCWS004: Deluxe VitalPower Workstation Cart MCWS005: Standard Erge Rechargeable Battery
Materials	Base: Die-cast aluminum with TPR bumpers Column: Extruded aluminum with ABS plastic components Desktop, Keyboard Tray, and Accessories: Injection molded ABS plastic Monitor Mount: Stamped and extruded steel Accessory Mounts: Clear anodized CNC aluminum Cabinet Pack (MCWS004-only): Steel with ABS drawers and sides Battery Housing: Injection molded ABS plastic
Color	White with gray and blue trim and accents
Dimensions	Overall Dimensions: 24.1" W x 28.6" D x 50.5 to 64.5" H Desktop Writing Surface: 23" W x 14.5" D Desktop Height Adjustment Range: 35.2" to 49.2" H Retractable Keyboard Tray: 18.1" W x 9.9" D Keyboard Tray Adjustment Range: +/-10° tilt (up/down), 7.5" pull-out from front edge of desktop (tray sits 6" below desktop) Mouse Tray: 24.1" W x 28.61" D (can extend from left or right side of keyboard tray) VESA Monitor Mount Height: 15.3" H above the desktop VESA Patterns: 100 x 100 and 75 x 75 VESA Monitor Mount Adjustment Range: +/-90° swivel (left/right), +/-55° tilt (up/down) 2-Drawer Cabinet Pack (MCWS004-only): 17.3" W x 12.5" D x 7.2" H Cabinet Pack Drawer Interior Dimensions (MCWS004-only): 17.3" W x 12.5" D x 7.2" H Battery: 9" W x 5.4" D x 3.5" H
Product Weight	MCWS003: 99.8 lbs. MCWS004: 119.5 lbs. MCWS005: 3.4 lbs.
Weight Capacity	Desktop Lift Capacity: 35 lbs. Casters: 176 lbs. (dynamic load), 352 lbs. (static load)

Casters	4", full-swivel, two with locking brakes
Battery & Electrical	Cell Type: 26700 4000mAh LiFePO4 Battery Output (each): 384Wh at 32V Safety: Overcharge Protection, Over Discharge Protection, Parallel Expansion, and Equalization On-Battery Indicator Lights: Green LED – Solid Green = 5-100% Blinking Green = <5% Watt Hours Device Outlets: AC x 3, USB-C x 1, USB-A x 1 AC Power Output: 110V 2.73A Max (300W) USB-C Power Output: 20V/5A 100W Max PD* USB-A Power Output: QC3.0 18W*
Additional Features	LED battery status display, easy-to-clean surfaces, integrated grab handles in desktop for easier transport, smooth and quiet upgraded caster set
Shipping	Item Number: MCWS003 Shipping Dimensions: 27.5" W x 27.5" D x 44.5" H Shipping Weight: 138.8 lbs. Shipping Method: Freight Item Number: MCWS004 Shipping Dimensions: 27.5" W x 27.5" D x 44.5" H Shipping Weight: 163.3 lbs. Shipping Method: Freight Item Number: MCWS005 Shipping Dimensions: 11.3" W x 7.5" D x 5.7" H Shipping Weight: 8.2 lbs. Shipping Method: Ground
Assembly Required	Yes (attachment of VESA mount and accessories)
Certifications	Workstation: FDA registered, ANSI/BIFMA X5.5-2021, IEC 60601-1 Battery: IEC 62133-2 Inverter: Conforms to UL62368 Adapter: cULus Listed Casters: ISO 22881, manufactured in a facility certified to ISO 13485
Warranty	Cart: Limited Lifetime Battery: 1-Year Limited


Dimensional Drawings



MCWS003



MCWS004



MCWS005